



BULLDOG BOATS

ULTRA-TOUGH HDPE BOATS

BD-80



**DESIGNED STRONG, BUILT TOUGH,
CONSTRUCTED WITH PRIDE**

Bulldog Boats Ltd

Units 36 Walkers Industrial Estate, Ollerton Road, Tuxford, NG220PQ

Call: Brendan 07805940238 or Tony 07421462784

Email: sales@bulldogboats.co.uk

Web: bulldogboats.co.uk

1. KEY INFORMATION

Specification date:	14 th July 2022 (version 1)
Vessel type:	BD-80
Vessel purpose:	Fast crew vessel
MCA coded:	Yes
Certification:	Category 3 (20 miles from safe haven)
Construction material:	HDPE
Length overall:	8.0 metres
Breadth:	2.9 metres
Draft:	0.6 metres
Hull Configuration:	Monohull
Number of crew:	4
Bilge pumps:	Two (2) x Electric, One (1) x manual bilge pumps
Deck outfit	
Helm Console:	Yes
Deck covering:	Deck Safe marine decking anti-slip
Seats:	Four (4) Jennings SJ10 Mechanical Suspension type
Aluminium handrails:	Bulwarks to minimum height requirements
Engines / propulsion	
Vessel range:	150 nautical miles
Engine:	2 x 200hp OXE Diesel Outboard
Propulsion:	Outboard
Number of fuel tanks:	Two (2) x located in locker above deck
Capacity per fuel tank:	120 litres
Electrical / navigation equipment	
Compass:	Richie fixed binnacle F-50 flush
VHF radio:	Raymarine Ray53 VHF with integrated GPS receiver
Chart plotter:	Raymarine Axiom 9 RV MFD with Realvison 3D
Transducer:	Raymarine CPT100
Navigation lights:	LED
Deck Lights:	7 x High Power LED
Horn:	AFI 12v 108dB
Searchlight:	LED high power
Power supply:	12 Volt DC drawn from batteries for mobile phone charging
Deck equipment	
Capstan:	None Fitted
Davit:	None Fitted
Safety equipment	
*Life jackets:	To be supplied by owner
*Life raft:	To be supplied by owner
Thermal protective aids:	To be supplied by owner
Life raft holder:	HDPE life raft holder fitted with retaining strap
Life rings:	Two (2) x floating life rings One (1) x float free light
Life ring holders:	Two (2)
Safety harnesses with lanyards:	To be supplied by owner
Fire extinguishers:	2 x 5a-34b
First-aid kit	To be supplied by owner
Main anchor:	One (1) 20kg Grapnel type
Kedge anchor:	One (1) 10kg Grapnel type
Flares (MCA compliant):	Four (6) x red parachute rockets Six (6) x handheld flares Two (2) x buoyant smoke flares

2. HULL CONSTRUCTION

- Vessel constructed to ISO12215 ASMA ,CE/CA international standards requirements,
- The vessel hull design uses our proven ultra-tough HDPE PE300 Hull with permanent intact buoyancy.
- Cargo lashing points will be fitted to the deck subject to client requirement,
- Six (6) x mooring Cleats fitted three (3) each side,
- Deck Safe marine anti-slip decking will be fitted throughout the length of the vessel,
- Anchor locker constructed from HDPE.

3. WHEELHOUSE

- **Helm Console** – Constructed from HDPE and will house the navigation equipment, helm controls and emergency batteries,
- **Steering** – Single station Hydrive hydraulic steering with twin Rams,
- **Seating** – Jennings SJ10 Mechanical Suspension Seats
- **Fixings** – To be of marine grade stainless steel for fixings, hinges and handles.

4. ENGINES

- Outboard engines, fitted for simple operation and easy maintenance,
- Separate manual fire extinguisher,
- Easy access to serviceable components
- 2 x OXE 200hp outboard fitted with 33inch legs, engines are ex demo direct from OXE and have OXE warranty.

5. FUEL TANK

- Capacity 2 x 120 litres providing range of more than 150nm,
- Fuel tanks fitted with fuel shut off valves, Fuel tanks are tek-tank and are type approved.
- Fuel fill located above deck,
- Fuel level sender mounted in the tank and connected to the console indicator,
- Fuel system fitted with Racore water separator filters and water traps.

6. WARRANTY AND AFTER SALES SUPPORT

- **Standard builder's warranty** – One (2) year (subject to fair wear and tear) on the hull and HDPE structures,
- **Vessel repairs** - Wherever possible, repairs undertaken on site to minimise client disruption by the builder or suitable representative closet to vessel location. Repairs to installed equipment i.e. Raymarine, Yamaha, Volvo etc undertaken by the manufacturer,
- **Response time** - Wherever feasible, standard warranty response time is seven (7) days subject to location (Christmas Day and New Year's Day excluded). Accessibility / location remoteness may incur additional travelling time. .
- **Equipment warranty** – As per manufacturers guidelines. Response times are dependent upon availability of their appointed agent / vessel parts covered and subject to their lead times.

7. ADDITIONAL INFORMATION

- **Vessel documentation** – Vessel build certificates, equipment warranty information and instruction manuals supplied with any other documentation deemed relevant,
- **Handover training** – Available on-site at final vessel location subject to an additional cost.
- **Certification** – The vessel can be certified by MECAL at buyer request. All certificates to be in the name of the client.

8. PRICE

Price– £110,000.00 - Excludes VAT and delivery

- **Optional extras** – None separately quoted,
- **Vessel delivery** - Excluded from the vessel cost,
- Delivery is the client's responsibility but can be arranged by the builder at the client's request. Where the delivery is not invoiced direct to the client by vessel transporter, it will be invoiced separately by the builder and must be settled prior to vessel shipment,
- All vessel and modification invoices must be paid in full prior to vessel shipment.

-END-





